


SMITH-COOPER[®]

INTERNATIONAL

CORPORATE OFFICE TEL (800) 766-0076 LOCAL (323) 890-4455 FAX (323) 890-4456
WWW.SMITHCOOPER.COM



Red Brass Nipples Schedule 40

PRICE SCHEDULE #BN0109

**Effective January 2009
Subject to change without notice**

NOT ALL BRASS NIPPLES ARE CREATED EQUAL

The  Logo on every nipple assures you:

Quality

Manufacturing facility is ISO 9001:2000

Over 50 years experience

Quality management inspections both at the overseas factory and our US warehouses

Reliability

SCI Brass Nipples are made from Seamless Red Brass Pipe

Brass Nipples conform to ASTM B687

Seamless Brass Pipe conforms to ASTM B43

NPT threads on nipples conform to ASME B1.20.1

Independent lab verification that fittings meet applicable chemical & physical properties

Availability

SCI Fittings stocked throughout the USA

Stocked in sizes 1/8" to 4"

One of the largest inventories in the nation

Protection

USA on-staff engineer available at your request

\$10,000,000 product liability insurance

SCI trademark logo on each fitting

SCI 5/50 guarantee

Customer Service

Pro Pak System makes products easier to handle and warehouse

Near perfect fill rate

Same day shipment of orders


Fax confirmation of every order


Knowledgeable customer service personnel



SMITH-COOPER[®]
INTERNATIONAL



 Voice (323) 890-4455 (800) 766-0076

 Fax (323) 890-4456

Brass Schedule 40 Nipples

Size	Close Length	Close	1-1/2"	2"	2-1/2"	3"	3-1/2"	4"	4-1/2"	5"	5-1/2"	6"	7"	8"	9"	10"	11"	12"
1/8"	3/4"	11.15 <i>25/400</i>	12.58 <i>25/400</i>	13.52 <i>25/400</i>	15.30 <i>25/400</i>	16.54 <i>25/400</i>	17.86 <i>25/400</i>	20.07 <i>25/400</i>	22.69 <i>25/400</i>	24.56 <i>25/400</i>	26.53 <i>25/400</i>	28.44 <i>25/400</i>	33.81 <i>25/400</i>	37.23 <i>25/400</i>	45.80 <i>25/400</i>	50.12 <i>25/400</i>	54.36 <i>25/400</i>	57.86 <i>25/400</i>
1/4"	7/8"	13.03 <i>25/400</i>	15.08 <i>25/400</i>	17.07 <i>25/400</i>	18.49 <i>25/400</i>	21.70 <i>25/400</i>	23.62 <i>25/400</i>	27.77 <i>25/400</i>	30.14 <i>25/400</i>	32.86 <i>25/400</i>	35.62 <i>25/400</i>	40.06 <i>25/400</i>	45.69 <i>25/200</i>	50.04 <i>25/200</i>	55.61 <i>25/200</i>	61.08 <i>25/200</i>	66.65 <i>25/200</i>	72.11 <i>25/200</i>
3/8"	1"	13.50 <i>25/400</i>	15.98 <i>25/400</i>	19.41 <i>25/300</i>	21.04 <i>25/300</i>	25.74 <i>25/400</i>	27.77 <i>25/400</i>	33.05 <i>25/400</i>	35.19 <i>25/400</i>	38.60 <i>25/300</i>	41.96 <i>25/300</i>	45.38 <i>25/300</i>	55.10 <i>25/150</i>	61.77 <i>25/150</i>	73.08 <i>25/100</i>	73.61 <i>25/100</i>	80.34 <i>25/100</i>	87.14 <i>25/100</i>
1/2"	1-1/8"	18.01 <i>25/400</i>	20.85 <i>25/400</i>	24.49 <i>25/400</i>	29.13 <i>25/300</i>	34.20 <i>25/300</i>	39.03 <i>25/300</i>	44.72 <i>25/200</i>	48.54 <i>25/200</i>	53.48 <i>25/200</i>	58.74 <i>25/200</i>	65.12 <i>25/100</i>	75.45 <i>25/100</i>	84.53 <i>25/100</i>	93.80 <i>25/100</i>	103.74 <i>25/100</i>	113.50 <i>25/100</i>	123.43 <i>25/100</i>
3/4"	1-3/8"	25.96 <i>25/400</i>	27.68 <i>25/400</i>	32.69 <i>25/300</i>	37.91 <i>25/300</i>	43.73 <i>25/200</i>	49.07 <i>25/200</i>	57.04 <i>25/150</i>	62.05 <i>25/150</i>	68.49 <i>25/100</i>	74.84 <i>25/100</i>	83.33 <i>25/100</i>	97.64 <i>25/75</i>	109.96 <i>25/75</i>	121.76 <i>25/50</i>	134.20 <i>25/50</i>	146.43 <i>25/50</i>	159.69 <i>25/50</i>
1"	1-1/2"	38.28 <i>25/200</i>		47.22 <i>25/200</i>	55.10 <i>25/150</i>	63.44 <i>25/150</i>	73.45 <i>25/100</i>	82.62 <i>25/100</i>	92.14 <i>25/100</i>	101.89 <i>25/75</i>	111.60 <i>25/75</i>	121.66 <i>25/50</i>	142.11 <i>25/50</i>	162.23 <i>25/50</i>	181.02 <i>20/40</i>	200.79 <i>20/40</i>	216.64 <i>20/40</i>	239.45 <i>20/40</i>
1-1/4"	1-5/8"	57.76 <i>25/150</i>		65.96 <i>25/100</i>	74.60 <i>25/100</i>	88.28 <i>25/50</i>	103.30 <i>25/50</i>	116.27 <i>25/50</i>	128.75 <i>25/50</i>	141.98 <i>25/50</i>	155.31 <i>15/30</i>	169.62 <i>15/30</i>	200.11 <i>15/30</i>	226.69 <i>15/30</i>	268.83 <i>15/30</i>	280.33 <i>-/30</i>	320.90 <i>-/30</i>	335.31 <i>-/30</i>
1-1/2"	1-3/4"	75.10 <i>25/100</i>		80.81 <i>25/100</i>	96.81 <i>25/50</i>	111.25 <i>25/50</i>	127.75 <i>25/50</i>	144.92 <i>25/50</i>	162.84 <i>-/50</i>	180.17 <i>-/40</i>	197.12 <i>-/40</i>	214.10 <i>-/40</i>	250.25 <i>-/35</i>	284.26 <i>-/25</i>	318.23 <i>-/25</i>	352.19 <i>-/15</i>	386.21 <i>-/15</i>	420.13 <i>-/15</i>
2"	2"	114.35 <i>25/50</i>			123.49 <i>25/50</i>	142.51 <i>-/50</i>	164.05 <i>-/25</i>	186.45 <i>-/25</i>	207.86 <i>-/25</i>	230.48 <i>-/25</i>	252.82 <i>-/25</i>	275.25 <i>-/25</i>	321.96 <i>-/18</i>	367.17 <i>-/18</i>	409.43 <i>-/18</i>	454.75 <i>-/14</i>	491.38 <i>-/14</i>	542.38 <i>-/14</i>
2-1/2"	2-1/2"	301.88 <i>-/36</i>				315.59 <i>-/36</i>	357.57 <i>-/27</i>	397.49 <i>-/27</i>	426.44 <i>-/24</i>	469.11 <i>-/18</i>	505.22 <i>-/18</i>	553.16 <i>-/18</i>	630.16 <i>-/14</i>	723.73 <i>-/12</i>	803.32 <i>-/9</i>	887.64 <i>-/9</i>	956.45 <i>-/9</i>	1049.35 <i>-/9</i>
3"	2-5/8"	410.49 <i>-/24</i>				426.56 <i>-/24</i>	482.55 <i>-/18</i>	543.51 <i>-/18</i>	597.46 <i>-/12</i>	657.37 <i>-/12</i>	714.29 <i>-/12</i>	776.44 <i>-/12</i>	905.98 <i>-/19</i>	1032.15 <i>-/8</i>	1130.26 <i>-/8</i>	1253.86 <i>-/6</i>	1363.53 <i>-/6</i>	1501.86 <i>-/6</i>
4"	2-7/8"	617.59 <i>-/15</i>					803.25 <i>-/12</i>	867.63 <i>-/10</i>	958.28 <i>-/8</i>	1021.87 <i>-/8</i>	1128.34 <i>-/8</i>	1295.34 <i>-/5</i>	1469.35 <i>-/5</i>	1643.26 <i>-/5</i>	1817.20 <i>-/4</i>	1991.47 <i>-/4</i>	2144.07 <i>-/4</i>	

Note: Bold Type is List Price, *Italic type is Package Quantities*


Brass Schedule 40 Long Nipples

Size	14"	15"	16"	18"	24"	30"	36"	48"	60"	72"
1/2"	164.16 <i>-/5</i>	170.96 <i>-/5</i>	183.85 <i>-/5</i>	194.47 <i>-/5</i>	259.28 <i>-/5</i>	338.56 <i>-/5</i>	388.93 <i>-/5</i>	537.03 <i>-/5</i>	665.82 <i>-/5</i>	886.88 <i>-/5</i>
3/4"	212.41 <i>-/5</i>	224.26 <i>-/5</i>	239.18 <i>-/5</i>	251.55 <i>-/5</i>	335.40 <i>-/5</i>	419.24 <i>-/5</i>	503.09 <i>-/5</i>	670.79 <i>-/5</i>	861.31 <i>-/5</i>	1033.58 <i>-/5</i>
1"	309.19 <i>-/5</i>	330.83 <i>-/5</i>	352.90 <i>-/5</i>	377.12 <i>-/5</i>	502.83 <i>-/5</i>	628.54 <i>-/5</i>	754.24 <i>-/5</i>	1005.66 <i>-/5</i>	1808.77 <i>-/5</i>	1550.04 <i>-/5</i>
1-1/4"	431.76 <i>-/35</i>	462.32 <i>-/35</i>	493.16 <i>-/35</i>	528.09 <i>-/35</i>	704.11 <i>-/35</i>	1012.09 <i>-/35</i>	1056.17 <i>-/35</i>	1458.92 <i>-/35</i>	1808.77 <i>-/35</i>	2170.54 <i>-/35</i>
1-1/2"	544.39 <i>-/35</i>	579.71 <i>-/35</i>	618.35 <i>-/35</i>	661.73 <i>-/35</i>	882.31 <i>-/35</i>	1102.89 <i>-/35</i>	1323.47 <i>-/35</i>	1764.62 <i>-/35</i>	2266.38 <i>-/35</i>	2719.66 <i>-/35</i>
2"	700.39 <i>-/35</i>	748.86 <i>-/35</i>	798.78 <i>-/35</i>	854.23 <i>-/35</i>	1138.97 <i>-/35</i>	1423.72 <i>-/35</i>	1708.46 <i>-/35</i>	2277.95 <i>-/35</i>	2847.43 <i>-/35</i>	3416.92 <i>-/35</i>
2-1/2"	1370.92 <i>-/35</i>	1463.97 <i>-/35</i>	1574.41 <i>-/35</i>	1747.59 <i>-/35</i>	2282.77 <i>-/35</i>	2896.54 <i>-/35</i>	3424.16 <i>-/35</i>	4565.56 <i>-/35</i>	5660.41 <i>-/35</i>	6792.50 <i>-/35</i>
3"	1654.83 <i>-/3</i>	2087.87 <i>-/3</i>	2245.39 <i>-/3</i>	2365.47 <i>-/3</i>	3267.17 <i>-/3</i>	4091.53 <i>-/3</i>	4900.76 <i>-/3</i>	6534.35 <i>-/3</i>	8101.36 <i>-/3</i>	9721.60 <i>-/3</i>
4"	2794.98 <i>-/3</i>	2972.29 <i>-/3</i>	3196.49 <i>-/3</i>	3376.97 <i>-/3</i>	4664.30 <i>-/3</i>	5929.87 <i>-/3</i>	6996.43 <i>-/3</i>	9318.35 <i>-/3</i>	11565.67 <i>-/3</i>	13878.80 <i>-/3</i>

Brass Single-Run Assortments


Size	List Price	Package Contents of Each Nipple Size											Total Pieces	Approx Weight
		Close	1-1/2"	2"	2-1/2"	3"	3-1/2"	4"	4-1/2"	5"	5-1/2"	6"		
1/4"	295.83	1	1	1	1	1	1	1	1	1	1	1	11	1.5
3/8"	341.13	1	1	1	1	1	1	1	1	1	1	1	11	2
1/2"	468.72	1	1	1	1	1	1	1	1	1	1	1	11	2.5
3/4"	604.45	1	1	1	1	1	1	1	1	1	1	1	11	3.5
1"	845.64	1		1	1	1	1	1	1	1	1	1	10	5
1-1/4"	1183.35	1		1	1	1	1	1	1	1	1	1	10	7
1-1/2"	1501.92	1		1	1	1	1	1	1	1	1	1	10	8
2"	1822.83	1			1	1	1	1	1	1	1	1	9	10

Note: Red Brass Pipe Available in 20 foot lengths. Price is POA




**Forged Steel
Fittings & Outlets**

1/8" – 4" Threaded & S/W
2000#, 3000#, 6000#




COOPLOK™ Grooved

UL/FM Couplings – Flexible & Rigid
Mechanical Tees, Fittings & Flanged Adapters




**Ductile Iron
Threaded Fittings**

1/2" – 2-1/2" Class 300
UL/FM @ 500 PSI




**Merchant Steel
Couplings & Fittings**

1/8" – 12" STD-XH
Full, Half, API Style




Valves

Carbon Steel – Stainless – Brass
1/4" – 4"




**Cast Iron
Threaded Fittings**

1/2" – 2-1/2" Class 125
UL/FM @ 300 PSI



**Malleable Iron
Pipe Fittings**

1/8" – 8" Black & Galvanized
UL/FM 150# & 300#




**Bronze Fittings & Flanges
Brass Nipples & Pipe**

1/8" – 6" 125#




**COOPLET® Weld Outlets
and Adapter Nipples**

UL/FM 300# Welded Outlets
Threaded 1/2" to 4", Grooved 1-1/4" to 4"




**Cast Iron Flanged
Fittings & Flanges**

Flanged Fittings 1" to 30", 125# & 250#
Cast Iron 125#, 250#, Flanges
Blind, Threaded, Reducing Threaded



Butterfly & Gate Valves

Lug & Wafer Flanged, Mechanical
Joint, Threaded,
Push-On, Check



Nipples

1/8" – 8" Black & Galvanized
Welded – Seamless
Schedule 40, 80, & XXH, Brass Schedule 40

SMITH-COOPER®
INTERNATIONAL

2867 VAIL AVENUE, COMMERCE, CA 90040 TEL (800) 766-0076 LOCAL (323) 890-4455 FAX (323) 890-4456
WWW.SMITHCOOPER.COM