


SMITH-COOPER[®]

INTERNATIONAL

CORPORATE OFFICE TEL (800) 766-0076 LOCAL (323) 890-4455 FAX (323) 890-4456
WWW.SMITHCOOPER.COM



Steel Nipples Schedule 80 & XXH Seamless

PRICE SCHEDULE #SN0908

**Effective September 2008
Subject to change without notice**

NOT ALL CARBON STEEL NIPPLES ARE CREATED EQUAL

The  logo on every nipple assures you:

Quality

Manufacturing facility is ISO 9001:2000

Over 50 years experience

Quality management inspections both at the overseas factory and our US warehouses

Reliability

Steel Pipe used for Seamless nipples conforms to ASTM A106 Grade B

Seamless steel pipe nipples conform to ASTM A733

NPT threads on all nipples conform to ASME B1.20.1

Independent lab verification that fittings meet applicable chemical & physical properties

Availability

SCI Fittings stocked throughout the USA

Stocked in sizes 1/8" to 4"

One of the largest inventories in the nation

Protection

USA on-staff engineer available at your request

\$10,000,000 product liability insurance

SCI trademark logo on each fitting

SCI 5/50 guarantee

Customer Service

Pro Pak System makes products easier to handle and warehouse

Near perfect fill rate

Same day shipment of orders


Fax confirmation of every order


Knowledgeable customer service personnel



SMITH-COOPER[®]
INTERNATIONAL



 Voice (323) 890-4455 (800) 766-0076

 Fax (323) 890-4456

Black Schedule 80 Seamless Nipples

Size	Close Length	Close	1-1/2"	2"	2-1/2"	3"	3-1/2"	4"	4-1/2"	5"	5-1/2"	6"	7"	8"	9"	10"	11"	12"
1/8"	3/4"	20.54 <i>25/400</i>	21.77 <i>25/400</i>	23.47 <i>25/400</i>	25.46 <i>25/400</i>	28.26 <i>25/400</i>	30.86 <i>25/400</i>	34.25 <i>25/400</i>	37.15 <i>25/400</i>	51.07 <i>25/400</i>	54.70 <i>25/400</i>	58.74 <i>25/400</i>	63.84 <i>25/400</i>	67.11 <i>25/400</i>	71.53 <i>25/400</i>	76.13 <i>25/400</i>	80.59 <i>25/400</i>	85.10 <i>25/400</i>
1/4"	7/8"	24.16 <i>25/400</i>	24.73 <i>25/400</i>	27.32 <i>25/400</i>	29.75 <i>25/400</i>	33.10 <i>25/400</i>	36.79 <i>25/400</i>	40.73 <i>25/400</i>	44.31 <i>25/400</i>	62.87 <i>25/400</i>	66.33 <i>25/400</i>	70.81 <i>25/400</i>	76.41 <i>25/200</i>	80.59 <i>25/200</i>	85.10 <i>25/200</i>	89.67 <i>25/200</i>	93.96 <i>25/200</i>	98.41 <i>25/200</i>
3/8"	1"	26.12 <i>25/400</i>	27.24 <i>25/400</i>	29.75 <i>25/400</i>	33.46 <i>25/400</i>	37.60 <i>25/400</i>	41.36 <i>25/400</i>	45.04 <i>25/400</i>	49.49 <i>25/400</i>	65.99 <i>25/300</i>	70.50 <i>25/300</i>	75.09 <i>25/300</i>	80.59 <i>25/150</i>	86.19 <i>25/150</i>	91.86 <i>25/100</i>	97.38 <i>25/100</i>	103.01 <i>25/100</i>	108.59 <i>25/100</i>
1/2"	1-1/8"	13.32 <i>25/400</i>	14.16 <i>25/400</i>	15.58 <i>25/400</i>	17.22 <i>25/300</i>	18.95 <i>25/300</i>	21.49 <i>25/300</i>	23.63 <i>25/200</i>	26.00 <i>25/200</i>	29.96 <i>25/200</i>	32.59 <i>25/200</i>	35.25 <i>25/200</i>	49.48 <i>25/100</i>	53.47 <i>25/100</i>	57.50 <i>25/100</i>	61.52 <i>25/100</i>	65.55 <i>25/100</i>	69.67 <i>25/100</i>
3/4"	1-3/8"	15.02 <i>25/400</i>	16.04 <i>25/400</i>	16.82 <i>25/300</i>	19.01 <i>25/300</i>	21.15 <i>25/200</i>	24.10 <i>25/200</i>	26.48 <i>25/150</i>	28.92 <i>25/150</i>	32.99 <i>25/100</i>	35.45 <i>25/100</i>	38.13 <i>25/100</i>	53.47 <i>25/75</i>	58.18 <i>25/75</i>	62.89 <i>25/50</i>	67.52 <i>25/50</i>	72.19 <i>25/50</i>	76.83 <i>25/50</i>
1"	1-1/2"	21.25 <i>25/200</i>		22.56 <i>25/200</i>	24.12 <i>25/150</i>	28.22 <i>25/150</i>	31.28 <i>25/100</i>	34.95 <i>25/100</i>	38.04 <i>25/100</i>	44.01 <i>25/75</i>	47.10 <i>25/75</i>	50.27 <i>25/50</i>	73.26 <i>25/50</i>	79.51 <i>25/50</i>	85.00 <i>25/50</i>	91.14 <i>20/40</i>	98.66 <i>20/40</i>	104.72 <i>20/40</i>
1-1/4"	1-5/8"	26.66 <i>25/150</i>		27.71 <i>25/100</i>	30.51 <i>25/100</i>	35.46 <i>25/100</i>	38.75 <i>25/50</i>	43.33 <i>25/50</i>	47.13 <i>25/50</i>	54.69 <i>25/50</i>	58.81 <i>25/50</i>	62.87 <i>25/50</i>	91.33 <i>15/30</i>	100.01 <i>15/30</i>	108.17 <i>15/30</i>	117.02 <i>-/30</i>	130.82 <i>-/30</i>	134.83 <i>-/30</i>
1-1/2"	1-3/4"	32.11 <i>25/100</i>		33.97 <i>25/100</i>	36.87 <i>25/50</i>	42.48 <i>25/50</i>	46.35 <i>25/50</i>	51.90 <i>25/50</i>	56.73 <i>-/50</i>	65.62 <i>-/40</i>	69.76 <i>-/40</i>	73.78 <i>-/40</i>	107.45 <i>-/35</i>	116.95 <i>-/25</i>	126.50 <i>-/25</i>	136.13 <i>-/15</i>	145.51 <i>-/15</i>	155.01 <i>-/15</i>
2"	2"	38.13 <i>25/50</i>			42.76 <i>25/50</i>	49.75 <i>-/50</i>	53.50 <i>-/25</i>	59.73 <i>-/25</i>	64.44 <i>-/25</i>	75.45 <i>-/25</i>	81.47 <i>-/25</i>	86.19 <i>-/25</i>	124.68 <i>-/18</i>	136.02 <i>-/18</i>	147.19 <i>-/18</i>	158.42 <i>-/14</i>	169.75 <i>-/14</i>	180.92 <i>-/14</i>
2-1/2"	2-1/2"	126.65 <i>-/36</i>				132.63 <i>-/36</i>	142.80 <i>-/27</i>	148.11 <i>-/27</i>	156.12 <i>-/24</i>	166.69 <i>-/18</i>	175.07 <i>-/18</i>	182.56 <i>-/18</i>	200.70 <i>-/14</i>	218.47 <i>-/12</i>	236.30 <i>-/9</i>	254.26 <i>-/9</i>	270.90 <i>-/9</i>	288.89 <i>-/9</i>
3"	2-5/8"	159.73 <i>-/24</i>				168.90 <i>-/24</i>	180.43 <i>-/18</i>	191.02 <i>-/18</i>	201.60 <i>-/16</i>	215.64 <i>-/12</i>	226.56 <i>-/12</i>	237.02 <i>-/12</i>	270.44 <i>-/9</i>	292.07 <i>-/8</i>	314.53 <i>-/8</i>	339.02 <i>-/6</i>	359.56 <i>-/6</i>	381.46 <i>-/6</i>
4"	2-7/8"	227.49 <i>-/15</i>						257.60 <i>-/12</i>	272.54 <i>-/10</i>	295.57 <i>-/8</i>	307.34 <i>-/8</i>	321.98 <i>-/8</i>	392.35 <i>-/5</i>	424.30 <i>-/5</i>	424.30 <i>-/5</i>	455.50 <i>-/4</i>	488.38 <i>-/4</i>	519.60 <i>-/4</i>

Note: Bold Type is List Price, *Italic type is Package Quantities*, For Galvanized add 100%

Black XXH Seamless Nipples

Size	Close Length	Close	1-1/2"	2"	2-1/2"	3"	3-1/2"	4"	4-1/2"	5"	5-1/2"	6"	7"	8"	9"	10"	11"	12"
1/2"	1-1/8"	42.12	45.11	49.46	54.30	60.02	68.28	74.87	82.72	95.22	103.39	111.49	149.82	162.07	174.25	186.42	198.60	210.81
3/4"	1-3/8"	60.55	64.77	68.10	77.00	85.60	96.50	106.74	116.47	133.26	143.53	153.69	206.52	224.68	242.61	260.82	278.91	296.91
1"	1-1/2"	85.77		90.82	97.20	113.90	126.47	141.03	153.26	177.68	190.23	202.81	281.00	307.39	328.33	351.93	380.82	404.40
1-1/4"	1-5/8"	107.14		112.15	123.05	143.38	156.84	174.86	190.58	220.68	237.44	253.69	353.06	386.17	417.59	451.81	483.37	522.65
1-1/2"	1-3/4"	129.69		137.12	149.05	171.63	187.12	209.60	229.18	264.83	281.47	298.02	415.13	451.81	488.59	525.35	562.04	598.91
2"	2"	146.96			165.79	192.68	207.45	231.67	249.79	292.35	315.96	334.32	483.82	527.29	570.90	614.57	614.57	701.56
2-1/2"	2-1/2"	469.44				492.29	529.81	549.26	578.83	618.40	649.44	677.57	744.43	810.66	876.93	943.06	1005.11	1071.87
3"	2-5/8"	626.33					669.51	708.46	747.55	800.41	840.46	879.39	1003.15	1083.77	1166.50	1257.43	1333.99	1414.65
4"	2-7/8"	843.99						955.44	1011.04	1094.32	1139.97	1194.62	1336.00	1455.99	1573.92	1689.69	1809.53	1927.48


Note: For Galvanized POA

Schedule 80 Seamless Single-Run Assortments

Size	List Price Black Only	Package Contents of Each Nipple Size											Total Pieces	Approx Weight		
		Close	1-1/2"	2"	2-1/2"	3"	3-1/2"	4"	4-1/2"	5"	5-1/2"	6"				
1/2"	274.22	1	1	1	1	1	1	1	1	1	1	1	1	1	11	1
3/4"	302.90	1	1	1	1	1	1	1	1	1	1	1	1	1	11	1.5
1"	385.40	1	1	1	1	1	1	1	1	1	1	1	1	1	11	2
1-1/4"	470.69	1	1	1	1	1	1	1	1	1	1	1	1	1	11	2.5
1-1/2"	563.09	1	1	1	1	1	1	1	1	1	1	1	1	1	11	3.5
2"	609.25	1		1	1	1	1	1	1	1	1	1	1	1	10	5
2-1/2"	1356.61	1		1	1	1	1	1	1	1	1	1	1	1	10	7
3"	1742.62	1		1	1	1	1	1	1	1	1	1	1	1	10	8
4"	1854.76	1			1	1	1	1	1	1	1	1	1	1	9	10


We can make custom sizes and/or end finishes. Call us for a quotation.

Seamless Steel Pipe Nipples conform to the following specifications: ASTM A733, ANSI B1.20.1, & ASTM A106 GrB
SN0908, Page 1




Forged Steel Fittings

1/8" - 4" Threaded & S/W
2000#, 3000#, 6000#




Cooplok™ Grooved

Couplings - Flexible & Rigid
Mechanical Tees, Fittings & Flanged Adapters




**Ductile Iron
Threaded Fittings**

1/2" - 2-1/2" 300# & 500#
UL/FM @ 500 PSI




**Merchant Steel
Couplings & Fittings**

1/8" - 12" STD-XH
Full, Half, API Style




Valves

Carbon Steel - Stainless - Brass
1/4" - 4"




**Cast Iron
Threaded Fittings**

1/2" - 2-1/2" Class 125
UL/FM @ 500 PSI



**Malleable Iron
Pipe Fittings**

1/8" - 8" 150# & 300#,
Black & Galvanized




**Bronze Fittings
Flanges - Nipples - Pipe**

1/8" - 6" 125#




Cooplet® Weld Outlets

UL/FM 300#
Threaded 1/2" to 4", Grooved 1-1/4" to 6"




**Cast Iron Flanged
Fittings & Flanges**

Flanged Fittings 1" to 30", 125# & 250#
Cast Iron 125#, 250#, Flanges
Blind, Threaded, Reducing Threaded



Butterfly & Gate Valves

Lug & Wafer Flanged, Mechanical
Joint, Threaded,
Push-On, Check



Nipples

1/8" - 8" Black & Galvanized
Welded - Seamless
Schedule 40 & 80, Brass Schedule 40

SMITH-COOPER®
INTERNATIONAL