

150# Threaded and Socket Weld Fittings Price Sheet

150 LB. TYPE 304 THREADED / SW FITTINGS

Nominal Pipe Size	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"	4"
90° Elbows	7.83	7.83	9.73	10.36	14.86	21.06	36.96	49.19	62.37	142.07	181.03	353.29
45° Elbows	9.90	9.90	11.63	12.78	18.66	22.79	36.49	43.41	61.08	168.02	231.57	412.10
Street 90° Elbows	11.18	11.18	13.46	15.84	21.98	38.04	55.25	65.36	88.52	186.95	248.00	482.90
Tees	10.50	10.50	13.38	14.05	22.35	28.46	56.61	70.37	90.39	193.87	279.40	504.64
Crosses	18.28	18.28	21.78	26.83	45.91	67.94	80.68	99.95	143.08	411.16	444.18	721.60
Full Coupling	4.27	5.07	5.91	8.37	12.08	18.35	29.17	34.63	48.81	107.14	138.51	215.30
Half Couplings	3.07	3.40	3.67	5.11	6.83	8.76	14.29	18.33	25.12	60.94	83.80	136.95
Reducing Couplings	-	8.19	9.09	8.68	13.06	17.86	26.05	37.56	62.72	134.45	191.48	317.17
Hex Bushing	-	5.11	5.58	7.06	10.33	14.35	25.67	30.72	46.86	80.32	123.08	223.95
Caps	3.94	5.65	6.64	6.89	8.63	12.97	23.47	30.80	39.28	70.83	97.93	165.77
Square Head Plugs	3.39	4.00	5.35	7.64	9.32	11.79	23.47	27.99	33.13	63.13	79.32	172.15
Hex Head Plugs	3.75	3.75	4.63	7.30	9.18	15.85	25.43	27.83	38.42	68.88	94.50	197.78
Unions	26.44	26.44	26.95	29.17	36.96	55.75	96.69	109.37	130.94	354.63	446.60	724.88

150 LB. TYPE 316 THREADED / SW FITTINGS

Nominal Pipe Size	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"	4"
90° Elbows	10.04	10.04	12.19	13.46	19.52	24.51	42.02	56.04	70.84	155.65	214.12	393.49
45° Elbows	11.95	11.95	14.60	16.03	21.05	26.37	41.48	49.33	68.97	180.71	260.85	491.07
Street 90° Elbows	13.45	13.71	16.85	19.82	26.12	41.70	62.33	69.43	99.16	231.26	299.73	591.93
Tees	12.48	12.48	16.54	17.45	25.73	32.30	64.29	78.00	100.49	234.92	335.31	546.29
Crosses	22.57	22.57	26.55	32.96	57.58	69.50	100.49	125.42	172.78	487.72	531.18	860.70
Full Coupling	5.65	5.65	6.63	9.68	13.99	20.84	33.14	39.38	55.44	130.25	168.25	259.83
Half Couplings	3.59	3.59	4.18	6.09	7.75	11.79	17.87	23.78	31.13	74.34	101.29	166.64
Reducing Couplings	-	9.32	10.35	12.41	15.92	26.27	34.30	45.81	77.27	167.63	228.07	378.15
Hex Bushings	-	5.76	6.57	7.72	11.47	16.39	32.03	37.87	53.79	91.39	140.52	252.76
Caps	4.78	6.43	7.59	8.78	10.08	15.44	30.34	38.90	49.80	88.35	115.69	201.03
Square head Plugs	3.65	4.63	6.10	8.63	10.55	13.19	31.18	34.46	47.55	76.59	93.10	204.08
Hex Head Plugs	4.64	4.64	5.24	8.79	11.08	17.64	30.48	36.08	52.06	83.75	107.47	240.22
Unions	30.00	30.00	30.52	33.14	42.03	63.44	109.69	124.50	148.48	381.58	530.56	903.83

150# Domestic Threaded Fittings Price List

150 LB. TYPE 304 THREADED FITTINGS

4/2008

Nominal Pipe Size	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"	4"
90° Elbows	24.06	24.06	26.46	23.64	26.87	35.70	55.13	60.90	87.92	242.58	336.12	600.37
45° Elbows	35.26	35.26	33.48	33.90	36.72	40.45	52.10	67.38	95.67	342.55	501.59	906.62
90° Street Elbows	35.80	35.80	42.29	49.13	48.40	79.47	115.76	135.41	180.52	426.36	561.71	1,094.06
Tees	37.02	37.02	37.40	35.48	37.84	44.73	75.16	91.93	114.23	348.73	530.62	1,312.23
Crosses	94.79	94.79	94.79	154.58	182.12	170.87	175.12	226.38	324.06	1,043.76	1,153.39	1,801.68
Full Couplings	9.72	11.52	13.79	18.34	24.45	39.43	63.42	70.88	111.62	259.94	353.77	521.61
Half Couplings	5.89	7.09	7.79	10.12	13.40	22.69	37.89	42.99	58.56	142.14	195.87	320.13
Reducing Couplings	-	12.77	14.89	19.67	25.38	42.17	89.63	98.03	152.69	379.41	421.89	699.71
Hex Bushing	-	14.47	14.93	18.91	26.05	37.69	66.23	86.43	119.41	243.63	316.07	698.42
Caps	8.81	8.81	11.95	12.28	17.87	28.50	58.81	67.95	86.12	132.55	183.15	338.55
Sq. Hd. Plugs	10.37	10.37	14.05	14.44	22.63	39.39	81.41	86.43	105.69	256.17	312.72	534.29
Hex Hd. Plugs	9.22	10.53	12.13	14.52	21.59	30.74	57.70	74.59	114.25	214.24	266.94	632.61
Unions	45.21	45.21	52.88	65.95	90.35	131.18	305.99	332.05	419.18	789.45	1,050.79	1,447.94

150 LB. TYPE 316 THREADED FITTINGS

Nominal Pipe Size	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"	4"
90° Elbows	29.31	29.31	32.42	29.21	36.73	43.16	71.17	74.99	116.65	296.90	416.62	716.13
45° Elbows	38.22	38.22	40.04	40.04	48.68	50.58	65.15	78.22	114.05	410.32	603.03	1,089.34
90° Street Elbows	46.13	46.13	55.25	60.54	57.58	97.22	148.21	175.75	230.33	593.34	700.15	1,444.45
Tees	43.23	43.23	44.49	41.32	51.03	53.80	98.40	111.76	151.67	422.18	650.02	1,221.19
Crosses	117.11	117.11	117.11	166.96	230.17	215.35	232.97	264.15	363.96	1,144.79	1,242.97	1,955.71
Full Couplings	11.76	13.97	16.45	21.82	30.35	48.39	78.13	99.76	142.65	327.40	446.45	653.80
Half Couplings	8.08	7.83	9.59	12.52	18.19	30.91	48.94	60.22	78.51	194.14	255.05	420.18
Reducing Couplings	-	18.33	21.82	29.77	37.92	62.73	112.31	126.62	205.15	491.69	607.62	956.61
Hex Bushings	-	16.54	17.39	23.81	32.25	50.11	91.36	108.14	153.59	295.05	344.01	766.58
Caps	12.34	12.34	16.46	17.77	25.99	39.91	101.38	110.65	136.07	187.88	259.87	419.50
Sq. Hd. Plugs	11.66	11.91	15.80	17.47	28.34	51.66	97.17	102.85	134.12	299.12	368.67	626.22
Hex Hd. Plugs	11.85	11.91	14.83	18.02	27.08	42.51	79.97	104.05	148.83	246.43	318.90	689.87
Unions	52.68	52.68	64.03	80.54	113.56	163.79	341.47	393.58	519.91	931.54	1,166.98	1,917.55

150# DOMESTIC SOCKET WELD FITTINGS
SOCKET WELD FITTINGS BORED FOR SCHEDULE 10 PIPE
PRESSURE TEMPERATURE RATINGS: 150 P.S.I. SATURATED STEAM
300 P.S.I. @ 150 DEG F

March 2008

150# TYPE 304 SOCKETWELD FITTINGS

IPS	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"	4"
90 ELBOWS	"A"	"A"	"A"	32.64	37.13	49.31	73.99	84.12	121.39	"A"	"A"	"A"
TEES	"A"	"A"	"A"	48.98	52.25	61.78	100.89	118.60	153.32	"A"	"A"	"A"
45 ELBOWS	"A"	"A"	"A"	44.70	48.44	53.35	65.60	84.77	126.21	"A"	"A"	"A"
COUPLINGS	"A"	"A"	"A"	21.79	29.08	47.74	73.53	93.04	140.16	"A"	"A"	"A"
UNIONS	"A"	"A"	"A"	85.21	116.74	169.49	323.14	372.29	470.02	"A"	"A"	"A"

150# TYPE 316 SOCKETWELD FITTINGS

IPS	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"	4"
90 ELBOWS	"A"	"A"	"A"	40.33	50.70	59.63	91.91	103.57	161.11	"A"	"A"	"A"
TEES	"A"	"A"	"A"	57.07	70.49	74.29	132.05	154.34	209.46	"A"	"A"	"A"
45 ELBOWS	"A"	"A"	"A"	54.55	67.20	69.85	89.96	108.03	157.52	"A"	"A"	"A"
COUPLINGS	"A"	"A"	"A"	27.64	38.42	62.45	102.70	137.04	187.53	"A"	"A"	"A"
UNIONS	"A"	"A"	"A"	104.04	146.71	211.63	399.47	460.46	608.25	"A"	"A"	"A"

Effective March 19, 2007

RED COUPLINGS, CAPS ARE P.O.A.