


## PLUMBING ACCESSORIES

### PVC/CPVC COMPRESSION COUPLING, TEE, & ADAPTER

- Certified to NSF/ANSI 14
- Manufactured Using Virgin PVC Resins
- 100 PSI @ 180 deg. F (CPVC)
- 150 PSI @ 73 deg. F (PVC)
- Socket Ends Comply with ASTM D2466
- Threaded Ends Comply with ASTM D2466 and F1498
- Iron Pipe Sizes (PVC) / Copper Tube Sizes (CPVC)
- For use with Iron or Plastic Pipe

No.	Part	Material Specifications
1	Body	PVC / CPVC
2	"O" Ring	Rubber / TPE
3	Inlets	PVC / CPVC



#### 294 3200 SERIES

##### CPVC COMPRESSION COUPLING

Size	Part #	Weight	Box/Case	L	D1	D2	D3	Material
1/2"	294 3200G	0.17	25/200	4.60	1.39	0.68	0.61	CPVC
3/4"	294 3200I	0.26	25/200	5.28	1.87	0.91	0.85	CPVC



#### 294 6200 SERIES

##### PVC COMPRESSION COUPLING

Size	Part #	Weight	Box/Case	L	D1	D2	D3	Material
1/2"	294 6200	0.28	25/125	5.27	1.87	0.91	0.82	PVC
3/4"	294 6212	0.37	25/125	5.37	2.13	0.99	1.03	PVC
1"	294 6214	0.53	12/96	6.13	2.36	1.35	1.28	PVC
1-1/4"	294 6216	0.77	6/72	6.34	2.88	1.73	1.62	PVC
1-1/2"	294 6218	0.88	10/60	6.88	3.13	1.99	1.86	PVC
2"	294 6220	1.26	5/50	7.70	3.66	2.47	2.33	PVC
2-1/2"	294 6224	2.33	3/24	9.83	4.33	2.98	2.82	PVC
3"	294 6230	3.66	3/12	10.87	5.04	3.61	3.46	PVC
4"	294 6240	5.33	3/6	12.02	6.24	4.61	4.46	PVC



#### 294 6400 SERIES

##### PVC COMPRESSION ADAPTER

Size	Part #	Weight	Box/Case	L	D1	D2	D3	Material
1/2"	294 6400	0.15	30/240	2.60	1.85	0.91	0.82	PVC
3/4"	294 6412	0.20	30/120	2.65	2.13	1.14	1.03	PVC
1"	294 6414	0.28	30/120	3.07	2.36	1.35	1.28	PVC
1-1/4"	294 6416	0.41	12/72	3.18	2.88	1.73	1.62	PVC
1-1/2"	294 6418	0.50	10/60	3.35	3.13	1.99	1.86	PVC
2"	294 6420	0.62	6/48	3.62	3.66	2.47	2.33	PVC



#### 294 6300 SERIES

##### PVC COMPRESSION TEE, FEMALE THREADED BRANCH & SLIP BRANCH

Size	Threaded Part #	Slip Part #	Weight	Box/Cas	L	D1	D2	D3	Branch
1/2"	294 6300	294 6350	0.28	24/240	5.18	2.46	1.87	0.82	1/2"
3/4"	294 6312	294 6362	0.40	24/120	5.38	2.68	2.13	1.03	3/4"
3/4" x 1/2"	294 6390	-	0.40	24/120	5.38	2.68	2.13	1.03	1/2"
1"	294 6314	294 6364	0.56	12/60	6.09	3.01	2.36	1.28	1"
1-1/4"	294 6316	294 6366	0.83	6/36	6.19	3.78	2.88	1.62	1-1/4"
1-1/2"	294 6318	294 6368	0.98	10/60	6.80	4.00	3.13	1.86	1-1/2"
2"	294 6320	294 6370	1.33	6/24	7.67	4.61	3.66	2.33	2"

